

# REFERENCES

- Adolfsson, O., Meydani S. N., & Russell, R. R. (2004). Yogurt and gut function. *American Journal of Clinical Nutrition*, 80(2), 45-56.
- Agboola., S. O., and Milena Radovanovic-Tesic, M. (2002). Influence of Australian native herbs on the maturation of vacuum-packed cheese. *Lebensmittel-Wissenschaft und-Technologie*, 33(7), 575-583.
- Aissi, E. A., Lecocq, M., Brassart, C., & Bouquelet, S. (2001). Adhesion of some *Bifidobacterial* Strains to Human Enterocyte-like Cells and Binding to Mucosal Glycoproteins. *Microbial Ecology in Health and Disease*, 13(1), 32-39.
- Akada, J. K., Shirai, M., Takeuchi, H., Tsuda, M., & Nakazawa, T. (2000). Identification of the urease operon in *Helicobacter pylori* and its control by mRNA decay in response to pH. *Molecular Microbiology*, 36(5), 1071-1084.
- Alakali, J. S., Okonkwo, T. M., & Umoru, S. A. (2007). Effect of termination on shelf stability of yogurt. *EJEAFChe*, 6(4), 1957-1964.
- Ali, M., Thomson, M., & Afzal, M. (2000). Garlic and onions: their effect on eicosanoid metabolism and its clinical relevance. *Prostaglandins, Leukotrienes and Essential Fatty Acids*, 6(2), 55-73.
- Amarowicz, R., Pegg, R., Rahimi-Moghaddam, P., Barl, B., & Weil, J. (2004). Free-radical scavenging capacity antioxidant activity of selected plant species from the Canadian prairies. *Food Chemistry*, 84, 551-562.
- Amirdivani, Sh. (2008). Inclusion of *Mentha piperita*, *Anethum graveolence* and *Ocimum basilicum* in yogurt and their effect on the inhibition of enzyme relevant hypertension and type-2 diabetes. (2008). *Master thesis, Department of Biochemistry, University Malaya*.
- Amirdivani, Sh., & Baba, A. S. (2011). Changes in yogurt fermentation characteristics, and antioxidant potential and *in vitro* inhibition of angiotensin-1 converting enzyme upon the inclusion of peppermint, dill and basil. *Food Science and Technology*, 44(6), 1458-1464.

Andersen, L. P., Elsborg, L., & Justesen, T. (1988). *Campylobacter pylori* in peptic ulcer disease : II. Endoscopic findings and cultivation of *C. pylori*. *Scand. Journal of Gastroenterology*, 23, 760-764.

Andersen, L. P., Holck, S., Povlsen, C. O., Elsborg, L., & Justesen, T. (1987). *Campylobacter pyloridis* in peptic ulcer diseases: I. Gastric and duodenal infections caused by *C. pyloridis*. *Scand. Journal of Gastroenterology*, 22, 219-224.

Anderson, R. (2008). *Proceedings of the Nutrition Society*, 67, 48-53.

Analie, Lourens-Hattingh., & Bennie, C. Viljoen. (2001). Yogurt as probiotic carrier food. *International Dairy Journal*, 11, 1-17.

Apostolidis, E., Kwon, Y. I., & Shetty, K. (2007). Inhibitory potential of herb, fruit, and fungal-enriched cheese against key enzymes linked to type 2 diabetes and hypertension. *Innovative Food Science and Emerging Technologies*, 8, 46-54.

Arici, M., Bilgin, B., Sagdic, O., & Ozdemir, C. (2004). Some characteristics of *Lactobacillus* isolates from infant feces. *Food Microbiology*, 21, 19-24.

Arora, S. D., & Kaur, J. (1999). Antimicrobial activity of spices. *Journal of Anti Microbial Agents*, 12, 257-262.

Aroutcheva, A., Gariti, D., Simon, M., Shott, S., Faro, J., & Simoes, J. A. (2001). Defense factors of vaginal *lactobacilli*. *American Journal of Obstet Gynecol*, 185, 375-379.

Baker, W. (2008). Effect of cinnamon on glucose control and lipid parameters. *Diabetes Care*, 31, 41-43.

Bakri, I. M., & Douglas, C. W. I. (2005). Inhibitory effect of garlic extract on oral bacteria. *Archives of Oral Biology*, 50(7), 645-651.

Banerjee, S. K., Mukherjee, P. K., & Maulik, S. K. (2003). Garlic as an antioxidant: the good, the bad and the ugly. *Phytotherapy Research*, 17, 97-106.

Barer, M. R., Elliott, T. S., Berkeley, D., Thomas, J. E., & Eastham, E. J. (1988). Cytopathic effects of *Campylobacter pylori* urease. *Journal of Clinical Pathology*, 41, 597.

Ben, J. Appelmelk., Mario, A. Monteiro., Steve, L. Martin., Anthony, P. Moran., & Christina, MJE. Vandenbroucke-Grauls. (2000). Why *Helicobacter pylori* has Lewis antigens. *Trends in Microbiology*, 8, 565-570.

Benkeblia, N. (2004). Antimicrobial activity of essential oil extracts of various onions (*Allium cepa*) and garlic (*Allium sativum*). *Lebensmittel-Wissenschaft und Technologie-Food Science and Technology*, 37(2), 263-268.

Bensky, D. (2004). Chinese Herbal Medicine. *Eastland Press*, 3.

Bernet, M. F., Brassart, D., Neeser, J. R., & Servin, A. L. (1994). *Lactobacillus acidophilus* LA 1 binds to cultured human intestinal cell lines and inhibits cell attachment and cell invasion by enterovirulent bacteria. *Gut*, 35, 483-489.

Bilyk, A., & Sapers, G. M. (1985). Distribution of quercetin and kaempferol in lettuce, kale, chive, garlic, leek, horseradish, red radish and red cabbage tissues. *J. Agric. Food Chem*, 33, 226-228.

Blaser, M. J. (1992). *Helicobacter pylori*: its role in disease. *Journal of Clinical Infection. Dis*, 15, 381-393.

Blaser, M. J. (1993). *Helicobacter pylori*: microbiology of a slow bacterial infection. *Trends Microbiol.* 1, 255-260.

Blaser, M. J., & Atherton, J. C. (2004). *Helicobacter pylori* persistence: Biology and disease. *Journal of Clinical Invest*, 113(3), 321-333.

Blum, U. (1998). Effects of microbial utilization of phenolic acids and their phenolic acid breakdown products on allelopathic interactions. *E Journal of Chemical Ecology*, 24(4), 685-708.

Bode, G., Mauch, F., & Malfertheiner, P. (1993). The coccoid forms of *Helicobacter pylori*. Criteria for their viability. *Epidemiol. Infect. Immun*, 111, 483-490.

Bodyfelt, F. W., Tobias, J., & Trout, G. M. (1988). Sensory evaluation of dairy products. *New York, NY7 VanNostrand Reinhold*, 22-31.

Broutet, N., Tchamgoue, S., Pereira, E., Lamouliatte, H., Salamon, R., & Megraud, F. (2003). Risk factors for failure of *Helicobacter pylori* therapy: results of an individual data analysis of 2751 patients. *Aliment Pharmacol Ther*, 17, 99-109.

Browna, L. M., Thomasa, T. L., Mab, J. L., Changb, Y. S., Youa, W. C., Liuc, W. D., et al. (2002). *Helicobacter pylori* infection in rural China: demographic, lifestyle and environmental factors. *International Journal of Epidemiology*, 31, 638-645.

Cai, Y. Z., Luo, Q., Sun, M., & Corke, H. (2004). Antioxidant activity and phenolic compounds of 112 traditional Chinese medicinal plants associated with anticancer. *Life Sciences*, 74, 2157-2184.

Caragay, A. B. (1992). Cancer-preventive foods and ingredients. *Food Technology*, 46, 65-69.

Cats, A., Kulpers, E. J., Bosschaert, M. A., Pot, R. G., Vandenbroucke-Gauls, C. M., & Kusters, J. G. (2003). Effect of frequent consumption of *Lactobacillus casei*-containing milk drink in *Helicobacter pylori* colonized subjects. *Pharmacology and Therapeutics*, 17, 429-435.

Cellini, L. E., Campoli, D. I., Masulli, M., Bartolomeo, S. D. I., & Allocati, N. (1996). Inhibition of *Helicobacter pylori* by garlic extract (*Allium sativum*). *FEMS Immunol. Med. Microbiol*, 13, 273-277.

Cenci, G., Rossi, J., Throtta, F., & Caldini, G. (2002). Lactic acid bacteria isolated from dairy products inhibit genotoxic effect of 4-nitroquinoline-1-oxide in SOS-chromotest. *Systematic and Applied Microbiology*, 25, 483-490.

Charles, C. (1998). *The Scents of Eden: A Narrative of the Spice Trade*. New York: Kodansha International.

Cheng, S., Lyytikainen, A., Kroger, H., Lamberg-Allardt, C., Alen, M., Koistinen, A., et al. (2005). Effects of calcium, dairy product, and vitamin D supplementation on bone mass accrual and body composition in 10-12-y-old girls: a 2-y randomized trial. *American Journal of Clinical Nutrition*, 82(5), 1115-1126.

Coconnier, M. H., Bernet, M. F., Chauviere, G., & Servin, A. L. (1993). Adhering heat-killed human *Lctobacillus acidophilus*, strain LB, inhibits the process of pathogenicity of diarrhoeagenic bacteria in cultured human intestinal cells. *J. Diarrhoeal Dis. Res*, 11, 235-242.

Coconnier, M. H., Lievin, V., & Hemery, E. (1998). Antagonistic activity against *Helicobacter* infection *in vitro* and *in vivo* by the human *Lactobacillus acidophilus* strain LB. *Applied Environmental Microbiology*, 64, 4573-4580.

Coisson, J. D., Travaglia, F., Piana, G., Capasso, M., & Arlorio, M. (2005). *Euterpe oleracea* juice as a functional pigment for yogurt. *Food Research International*, 38, 893-897.

Cover, T. L., & Blaser, M. J. (1996). *Helicobacter pylori* infection, a paradigm for chronic mucosal inflammation: pathogenesis and implications for eradication and prevention. *Adv. Intern. Med*, 41, 85-117.

Cornish, J., Callon, K. E., Naot, D., Palmano, K. P., Banovic, T., Bava, U., et al. (2004). Lactoferrin is a potent regulator of bone cell activity and increases bone formation *in vivo*. *Endocrinology*, 145(9), 4366-4374.

Crittenden, R. G., Martinez, N. R., & Playne, M. J. (2003). Synthesis and utilisation of folate by yoghurt starter cultures and probiotic bacteria. *International Journal of Food Microbiology*, 80, 217-222.

Cutler, H. G. (1995). Natural product flavor compounds as potential antimicrobials, insecticides, and medicinals. *Agro-Food-Industry Hi-Tech*, 6, 19-23.

D'Aimmo, M. R., Modesto, M., & Biavati, B. (2007). Antibiotic resistance of lactic acid bacteria and *Bifidobacterium* spp. isolated from dairy and pharmaceutical products *International Journal of Food Microbiology*, 115(1), 35-42.

Das, S. K., Das, V., Gulati, A. K., & Singh, V. P. (1989). Deglycyrrhizinated liquorice in aphthous ulcers. *The Journal of the Association of Physicians of India*, 37(10), 647.

Dave, R. I., & Shah, N. P. (1997). Viability of yogurt and probiotic bacteria in yogurts made from commercial starter cultures. *International Dairy Journal*, 7, 31-41.

Dave, R. I., & Shah, N. P. (1998). Ingredient Supplementation Effects on Viability of Probiotic Bacteria in Yogurt. *Journal of Dairy Science*, 81(11), 2804-2816.

De Vrese, M., & Schrezenmeir, J. (2002). Probiotics and non-intestinal infectious conditions. *British Journal of Nutrition*, 88, 59-66.

Diabetes Care. (2003). 26(12), 3215-3218

Dionyssios, N. S., Effrosini G. P., Beatriz, M.-G., Kalliopi, P., Spyros, M., & Andreas, M. (2005). *Lactobacillus johnsonii* La1 Attenuates *Helicobacter pylori*-Associated Gastritis and Reduces Levels of Proinflammatory Chemokines in C57BL/6 Mice *Clinical and Diagnostic Laboratory Immunology*, 12(12), 1378-1386.

Dixon, M. F. (1991). *Helicobacter pylori* and peptic ulceration: histopathological aspects. *Journal of Gastroenterol Hepatol*, 6, 125-130.

Dobrilla, G., Zancanella, L., & Amplatz, S. (1993). The need for longterm treatment of peptic ulcer. *Aliment. Pharmacol. Ther*, 7(Suppl. 2), 3-15.

Dorrell, N., Crabtree, J. E., & Wren, B. W. (1998). Host-bacterial interactions and the pathogenesis of *Helicobacter pylori* infection. *Trends Microbiol*, 6, 379-380.

Dubois, A. (1995). Spiral bacteria in the human stomach: the gastric *Helicobacters*. *Emer. Infect. Dis*, 1, 79-85.

Dunn, B. E., Cohen, H., & Blaser, M. J. (1997). *Helicobacter pylori*. *Clinical Microbiology. Rev*, 10, 720-741.

Durlu-Özkaya, F., Aslim B., & Ozkaya, M. T. (2007). Effect of exo-polysaccharides (EPSs) produced by *Lactobacillus delbrueckii* ssp. *bulgaricus* strains to bacteriophage and nisin sensitivity of the bacteria. *LWT-Food Science Technology*, 40, 564-568.

Eaton, K. A., Morgan, D. R., Brooks, C. L., & Krakowka, S. (1991). Essential role of urease in the pathogenesis of gastritis induced by *Helicobacter pylori* in gnotobiotic piglets. *Infect. Immun*, 59, 2470-2475.

Eaton, K. A., Morgan, D. R., & Krakowka, S. (1992). Motility as a factor in the colonisation of gnotobiotic piglets by *Helicobacter pylori*. *Journal of Medical Microbiology*, 37, 123-127.

Eurogast Study Group. (1993). An international association between *Helicobacter pylori* infection and gastric cancer. *Lancet* 341, 1359-1362.

Fiore, C., Eisenhut, M., Ragazzi, E., Zanchin, G., & Armanini, D. (2005). A history of the therapeutic use of liquorice in Europe. *Journal of Ethnopharmacol*, 99(3), 317-324.

Folkenberg, D. M., Dejmek, P., Skriver, A., & Ipsen, R. (2006). Interactions between EPS-producing *Streptococcus thermophilus* strains in mix yogurt cultures. *Journal of Dairy Research*, 73, 1-9.

Fooks, L. J., & Gibson, G. R. (2002). Probiotics as modulators of the gut flora. *British Journal of Nutrition*, 88, S39-S49.

Fooks, L. J., Fuller, R., & Gibson, G. R. (1999). Prebiotics, probiotics and human gut microbiology. *International Dairy Journal*, 9, 53-61.

Fortunatov, M. N. (1955). On the activity of the phytoncides from garlic in the human organism upon peroral administration. *Farmakol. Toksikol*, 18, 43-46.

Fox, J. G., & Wang, T. C. (2007). Inflammation, atrophy, and gastric cancer. *Journal of Clinical Invest*, 117(1), 60-69.

Fox, J. G., & Lee, A. (1997). The role of *Helicobacter* species in newly recognized gastrointestinal tract diseases of animals. *Lab. Anim. Sci*, 47, 222-225.

Fox, J. G., & Wang, T. C. (2001). *Helicobacter pylori*-Not a good bug after all (Editorial). *The New England Journal of Medicine*, 11(345), 829-832.

Freter, R. (1992). Factors affecting the microecology of the gut. *Probiotics, the Scientific Basis* (ed. Fuller. R), 111-114.

Friedman, M., Henika, P. R., & Mandrell, R. E. (2002). Bactericidal activities of plant essential oils and some of their constituents against *Campylobacter jejuni*, *Escherichia coli*, *Listeria monocytogenes* and *Salmonella enterica*. *Journal of Food Protection*, 65(10), 1545-1560.

Fuhrman, B., Buch, S., Vaya, J., Belinky, P. A., Coleman, R., Hayek, T., et al. (1997). Licorice extract and its major polyphenol glabridin protect low-density lipoprotein against lipid peroxidation: *in vitro* and *ex vivo* studies in humans and in atherosclerotic apolipoprotein E-deficient *American Society for Clinical Nutrition*, 66, 267-275.

Fujimoto, Y., Furusyo, N., Toyoda, K., Takeoka, H., Sawayama, Y., & Hayashi, J. (2007). Intrafamilial transmission of *Helicobacter pylori* among the population of endemic areas in Japan. *Helicobacter*, 12, 170-176.

Fukai, T., Ali, M., Kaitou, K., Kanda, T., Terada, S., & Nomura, T. (2002). Anti-*Helicobacter pylori* flavonoids from licorice extract. *Life Sciences*, 71, 1449-1463.

Fuller, R. (1992). History and development of probiotics. In R. Fuller (Ed.), *Probiotics, the Scientific Basis* (pp. 1-8). London, UK: Chapman & Hall.

- Gardiner, G. E., Ross, R. P., Kelly, P. M., & Stanton, C. (2002). Microbiology of therapeutic milks. *Dairy Microbiology Handbook* (ed. Robinson R. K), 3rd edn, 431-478.
- Gilliland, S. E., & Speck, M. L. (1997). Instability of *Lactobacillus acidophilus* in yogurt. *Journal of Dairy Science*, 60, 1394-1398.
- Gillor, O., Etzion, A., & Riley, M. A. (2008). The dual role of bacteriocins as anti- and probiotics. *Applied Microbiol Biotechnol* 81(4), 591-606.
- Giraffa, G., Chanishvili, N., & Widyastuti, Y. (2010). Importance of *lactobacilli* in food and feed biotechnology *Research in Microbiology, In Press*.
- Go, M. F. (2002). Natural history and epidemiology of *Helicobacter pylori* infection. *Aliment Pharmacol Ther*, 16(Suppl. 1), 1-15.
- Goldin, B. R., & Gorbach, S. L. (1984). The effect of milk and *Lactobacillus* feeding on human intestinal bacterial enzyme activity. *American Journal of Clinical Nutrition*, 39, 756-761.
- Goldin, B. R., Sherwood, L., Saxelin, M., Barakat, S., Gualteri, L., & Salminen, S. (1992). Survival of *Lactobacillus* species (Strain GG) in human gastrointestinal tract. *Digestive Diseases and Sciences*, 37, 121-128.
- Goodenough, E. R., & Kleyn, D. H. (1976). Influence of viable yogurt microflora on digestion of lactose by the rat. *Journal of Dairy Science*, 59, 601-606.
- Goodwin, C. S., & Armstrong, J. A. (1990). Microbiological aspects of *Helicobacter pylori* (*Campylobacter pylori*). *European Journal of Clinical Microbiology & Infectious Diseases*, 9, 1-3.
- Gotteland, M., Brunser, O., & Cruchet, S. (2006). Systematic review: are probiotics useful in controlling gastric colonization by *Helicobacter pylori*? *Aliment Pharmacol Ther*, 23, 1077-1086.
- Griffin, A. M., Morris, V. J., & Gasson, M. J. (1996). The cps ABCDE genes involved in polysaccharide production in *Streptococcus salivarius* spp *thermophilus* strain NCBF 2393. *Gene*, 183, 23-27.



Guler, A. and Mutlu, B. (2005). The effects of different incubation temperatures on the acetaldehyde content and viable bacteria counts of bio-yogurt made from ewe's milk. *International Journal of Dairy Tech.*, 58: 174- 179.

Gulliams, T. G. (1999). Healthy microbial organisms. *The Standard*, 2, 1-8.

Hachem, C. Y., Clarridge, J. E., Evans, D. G., & Graham, D. Y. (1995). Comparison of agar based media for primary isolation of *Helicobacter pylori*. *Clininical Journal of Pathology*, 48, 714-716.

Hammes, W. P., & Tichaczek, P. S. (1994). The potential of lactic acid bacteria for the production of sale and wholesome food. *Zeitschrift Fuer Lebensmittel-Untersuchung und Forschung*. 198, 193-201.

Hansson, L. E., Nyren, O., Hsing, A. W., Bergstrom, R., Josefsson, S., Chow, W. H., et al. (1996). The risk of stomach cancer in patients with gastric or duodenal ulcer disease. *N. Engl. J. Med.*, 335, 242-249.

Hara-Kudo, Y., Kobayashi, A., Sugita-Konishi, Y., & Kondo, K. (2004). Antibacterial activity of plants used in cooking for aroma and taste. *Journal of Food Protection*, 67, 2820-2824.

Harris, J. C., Cottrell, S. L., Plummer, S., & Lloyd, D. (2001). Antimicrobial properties of *Allium sativum* (garlic). *Applied Microbiol Biotechnol*, 57, 282-286.

Hawtin, P. R., Stacey, A. R., & Newell, D. G. (1990). Investigation of the structure and location of the urease of *Helicobacter pylori* using monoclonal antibodies. *J. Gen. Microbiol*, 136, 1995-2000.

Hertog, M. G. L., Feskens, E. J. M., Hollman, P. C. H., Katan, M. B., & Kromhout, D. (1993). Dietary antioxidant flavonoids and risk of coronary heart disease: the Zutphen elderly study. *Lancet*, 342, 1007-1011.

Hibata, S. (2000). A drug over the millennia: pharmacognosy, chemistry, and pharmacology of licorice. *Yakugaku Zasshi*, 120, 849-862.

Higashi, H., Tsutsumi, R., Fujita, A., Yamazaki, S., Asaka, M., Azuma, T., et al. (2002). Biological activity of the *Helicobacter pylori* virulence factor CagA is determined by variation in the tyrosine phosphorylation sites *PNAS*, 99 (22), 14428-14433.

Hilton, E., Kolakowski, P., Singer, C., & Smith, M. (1997). Efficacy of *Lactobacillus* GG as a diarrheal preventive in Travelers. *Journal of Travel Medicine*, 4, 41-43.

Holzapfel, W. H., & Schillinger, U. (2002). Introduction to pre- and probiotics. *Food Research International*, 35, 109-116.

Hood, S. K., & Zottola, M. L. (1998). Effects of low pH on the ability of *Lactobacillus acidophilus* to survive and adhere to human intestinal cells. *Journal of Food Science*, 53, 1514-1516.

Hooper, L. V., Midtvedt, T., & Gordon, J. L. (2002). How host-microbial interactions shape the nutrient environment of the mammalian intestine. *Annual Review of Nutrition* 22, 283-307.

<http://www.webmd.com/colorectal-cancer/news/20020319/boning-up-on-calcium-fights-colon-cancer>.

Huang , K. C. (1999). The pharmacology of Chinese herbs (Vol. 2). Florida: CRS Press LLC.

Hugenhoitz, J., & Kleerebezem, M. (1999). Metabolic engineering of lactic acid bacteria: overview of the approaches and results of pathway rerouting involved in food fermentations. *Current Opinion in Biotechnology*, 10, 492-497.

Hugunin, A. (1999). Why products in yogurt and fermented dairy products: U.S. DAIRY EXPORT COUNCIL.

IARC Schistosomes. (1994). Liver flukes and *Helicobacter pylori*. Monographs on the evaluation of carcinogenic risks to humans. *Lyon*, 1-241.

Ilver, D., Arnqvist, A., Ogren, J., Frick, I. M., Kersulyte, D., Incecik, E. T, et al. (1998). *Helicobacter pylori* adhesin binding fucosylated histo-blood group antigens revealed by retagging. *Science*, 279, 373-377.

Isbrucker, R. A., & Burdock, G. A. (2006). Risk and safety assessment on the consumption of Licorice root (*Glycyrrhiza sp.*), its extract and powder as a food ingredient, with emphasis on the pharmacology and toxicology of glycyrrhizin. *Regul Toxicol Pharmacol*, 46(3), 167-192.

- Jack, R. W., Tagg, J. R., & Ray, B. (1995). Bacteriocins of Gram-positive bacteria. *Microbiology. Rev*, 59, 171-200.
- Jacob, F., Lwoff, A., Siminovitch, A., & E, W. (1953). Definition of some terms relating to the 'lysogenic' denials. *Ann. Inst. Pasteur Paris*, 84, 222-224.
- Jacobs, M. (1991). Vitamins and Minerals in the Prevention and Treatment of Cancer. *CRC Press. Boca Raton, Florida*.
- Jonkers, D. (1999). Antibacterial effects of garlic and omeprazole on *Helicobacter pylori*. *Journal of Antimicrobial Therapy*, 43, 837-839.
- Jose, Cheel., Gabriela, Onofre., Doris, Vokurkova., Lenka, Tumova., & Jarmila, Neugebauerova. (2010). Licorice infusion: Chemical profile and effects on the activation and the cell cycle progression of human lymphocytes. *Pharmacognosy Magazine*, 6(21), 26-33.
- June, L. R., & Sarkis, K. M. (2009). The gut microbiota shapes intestinal immune responses during health and disease. *Nature Reviews Immunology* 9, 313-323.
- Kabir, A. M. A., Aiba, Y., & Takagi, S. (1997). prevention of *Helicobacter pylori* infection by *Lactobacilli* in a gnotobiotic murine model. *Gut*, 41, 49-50.
- Kachouri, F., & Hamdi, M. (2006). Use of *Lactobacillus plantarum* in olive oil process and improvement of phenolic compounds content. *Journal of Food Engineering*, 77, 746-752.
- Kaefer, C. M., & Milner, J. A. (2008). The role of herbs and spices in cancer prevention. *Journal of Nutritional Biochemistry*, 19, 347-361.
- Kailasapathy, K. (2006). Survival of free and encapsulated probiotic bacteria and their effect on the sensory properties of yoghurt. *LWT*, 39, 1221-1227.
- Kailasapathy, K., Harmstorf, I., & Philips, M. (2007). Survival of *Lactobacillus acidophilus* and *Bifidobacterium animalis* spp. *lactis* in stirred fruit yogurts. *Journal of Food Science and Technology*, 10.
- Kailasapathy, K., & Rybka, S. (1997). *Lactobacillus acidophilus* and *Bifidobacterium* spp.: Their therapeutic potential and survival in yogurt. *The Australian Journal of Dairy Technology*, 52, 28-35.

Kashiwagi, H. (2003). Ulcers and gastritis. *Endoscopy*, 35, 9-14.

Katellaris, P. H., & Jones, D. B. (1997). Testing for *Helicobacter pylori* infection after antibiotic treatment. *Am. J. Gastroenterol*, 92, 1245-1247.

Kenneth, E. L., & McColl, M. D. (2010). *Helicobacter pylori* Infection. *N Engl J Med* 362, 1597-1604.

Khan, A., Safdar, M., Ali, Khan M. M., Khattak, K. N., & Anderson, R. A. (2003). Cinnamon improves glucose and lipids of people with type 2 diabetes. *Diabetes Care*, 26(12), 3215-3218.

Khanum, F., Anilakumar, K. R., & Viswanathan, K. R. (2004). Anticarcinogenic properties of garlic: a review. *Critical Reviews in Food Science and Nutrition*, 44(6), 479-488.

Kim, D. H., Hong, S. W., Kim, B. T., Bae, E. A., Park, H. Y., & Han, M. J. (2000). Biotransformation of glycyrrhizin by human intestinal bacteria and its relation to biological activities. *Archives of Pharmacal Research*, 23(2), 172-177.

Kim, J. U., Oh, S., Kim, Y. J., Kim, M., & Kim, S. H. (2008). Technical optimization of culture conditions for the production of exopolysaccharide (EPS) by *Lactobacillus rhamnosus* ATCC 9595. *Food Science and Biotechnology*, 17, 587-593.

Kim, T. S., Hur, J. W., & Yu, M. A. (2003). Antagonism of *Helicobacter pylori* by bacteriocins of lactic acid bacteria. *Journal of food protection*, 66, 3-12.

Klaver, F. A. M., & Meer, R. V. D. (1993). The assumed assimilation of cholesterol by *lactobacilli* and *Bifidobacterium bifidum* is due to their bile salt deconjugating activity. *Applied and Environmental Microbiology*, 59, 1120-1124.

Klaver, F. A. M., Kingma, F., & Weerkamp, A. H. (1993). Growth and survival of *bifidobacteria* in milk. *Netherlands Milk Dairy Journal*, 47, 151-164.

Kleanhammer, T. R. (1993). Genetics of bacteriocins produced by lactic acid bacteria. *FEMS Microbiol Rev*, 12, 39-85.

Kolars, J. C., Levitt, M. D., Aouji, M., & Savaiano, D. A. (1984). Yogurt an autodigesting source of lactose. *N Engl J Med*, 3(10), 1-3.

Kong, X. F. e. a. (2009). Dietary supplementation with Chinese herbal powder enhances ileal digestibilities and serum concentrations of amino acids in young pigs. *Amino acid*, 37, 573-582.

Kuan-Yuan, W., Shui-Nin, L., Chiang-Shin, L., Daw-Shyong, P., Yu-Chung, S., Deng-Chyang, W., et al. (2004). Effects of ingesting *Lactobacillus*- and *Bifidobacterium*-containing yogurt in subjects with colonized *Helicobacter pylori*. *American Journal of Clinical Nutrition*, 80(3), 737-741.

Kucukoner, E., & Tarakci, Z. (2004). Influence of different fruit additives on some properties of stirred yogurt during storage. *Milchwissen Schaft*, 59, 159-161.

Kumar, M., Kumar, A., Nagpal, R., Mohania, D., Behare, P., Verma, V., et al. (2010). Cancer-preventing attributes of probiotics: an update. *International Journal of Food Science Nutrition*, 61(5), 473-496.

Kurmann, J. A., & Rasic, J. L. (1991). The health potential of products containing *bifidobacteria*. In: R.K. Robinson, Editor, *Therapeutic Products of Fermented Milks*. Elsevier, London, 117-158.

Kusters, J. G., Vliet, A. H., & Kuipers, E. J. (2006). Pathogenesis of *Helicobacter pylori* infection. *Clinical Microbiology Reviews*, 19, 449-490.

Lacy, B. E., & Rosemore, J. (2001). *Helicobacter pylori*: ulcers and more: the beginning of an era. *Journal of Nutrition*, 131, 2789S-2793S.

Lai, P. K., & Roy, J. (2004). Antimicrobial and chemopreventive properties of herbs and spices. *Current Medicinal Chemistry*, 11, 1451-1460.

Lambert, J. R., & Hull, R. R. (1996). Upper gastrointestinal tract disease and probiotics. *Asia Pacific Journal of Clinical Nutrition*, 5, 31-35.

Langmead, L., & Rampton, D. S. (2001). Herbal treatment in gastrointestinal and liver disease - benefits and dangers. [Review]. *Aliment Pharmacol Ther*, 15(9), 1239-1252.

Lankaputhra, W. E. V., & Shah, N. P. (1995). Survival of *Lactobacillus acidophilus* and *Bifidobacterium* species in the presebce of acid and bile salts. *Cultured Dairy Products Journal*, 30(3), 113-118.

- Lanzotti, V. (2006). The analysis of onion and garlic. *Journal of Chromatography A*, 1112(1-2), 3-22.
- Larmond, E. (1987). Laboratory methods for sensory evaluation of foods. *publication 1637/E. Ottawa: Canada Dept. Agric. Research Branch.*
- Laue, H., Schenk, A., Li, H., Lambertsen, L., Neu, T. R., Molin, S., et al. (2006). *Microbiol Sgm*, 152, 2909-2918.
- Laye, I., Karleskind, D., & Morr, C. V. (1993). Chemical, microbiology and sensory properties of plain yogurt. *Journal of Food Science*, 58(5), 991-995.
- Lee, A. (1996). The nature of *Helicobacter pylori*. *Scand. Journal of Gastroenterology*, 214, 5-8.
- Lee, S. H., Lee, S. Y., & Son, D. J. (2005). Inhibitory effect of 2'-hydroxycinnamaldehyde on nitric oxide production through inhibition of NF- $\kappa$  B activation in RAW 264.7 cells. *Biochem Pharmacol* 69, 791-799.
- Leroy, F., Vankrunkelsven, S., De Greef, J., & De Vuyst, L. (2003). The stimulating effect of a harsh environment on the bacteriocin activity by *Enterococcus faecium* RZS C5 and dependency on the environmental stress factor used. *International Journal of Food Microbiol*, 83(1), 27-38.
- Leroy, F., & De Vuyst, L. (2004). Lactic acid bacteria as functional starter cultures for the food fermentation industry. *Trends Food Science Technology*, 15, 67-78.
- Lesbros-Pantoflickova, D., Corthésy-Theulaz, I., & Blum, A. L. (2007). *Helicobacter pylori* and probiotics. *The American Society for Nutrition Journal of Nutrition*, 137, 812-818.
- Lim, K. S., Huh, C. S., & Baek, Y. J. (1993). Antimicrobial susceptibility of *Bifidobacteria*. *Journal of Dairy Science*, 76(8), 2168-2174.
- Lindgren, S. E., & Dobrogosz, W. J. (1990). Antagonistic activities of lactic acid bacteria in food and feed fermentations. *FEMS Microbiol*, 87, 149-163.
- Liong, M. T., & Shah, N. P. (2006). Effects of *Lactobacillus casei* synbiotic on serum lipoprotein, intestinal microflora, and organic acids in rats. *Journal of Dairy Science*, 89, 1390-1399.

Lytton, S. D., Fischer, W., Nagel, W., Haas, R., & Beck, F. X. (2005). Production of ammonium by *Helicobacter pylori* mediates occluding processing and disruption of tight junctions in Caco-2 cells. *Microbiology*, 151, 3267-3276.

MacFarlane, G. T., & Cummings, J. H. (2002). Probiotics, infection and immunity. *Current Opinion in Infectious Diseases*, 15, 501-506.

Maire, B., Colin, H., & Cormac, G. M. G. (2006). Bile Salt Hydrolase Activity in Probiotics. *Applied and Environmental Microbiology*, 72(3), 1729-1738.

Malfertheiner, P., Megraud, F., & O'Morain, C. (2000). Current concepts in the management of *Helicobacter pylori* infection. *Aliment Pharmacol Ther*, 16, 167-180.

Margaret, C. Martini., George, L. Bollweg., Michael, D. Levitt., & Dennis, A Savaiano. (1987). Lactose digestion by yogurt *l3-galactosidase*: influence of pH and microbial cell integrity. *American Journal of Clinical Nutrition*, 45, 432-436.

Marshall, B. J., Goodwin, C. S., Warren, J. R., Murray, R., Blincow, E. D., & Blackbourn, S. J. (1988). Prospective double blind trial of duodenal ulcer relapse after eradication of *Campylobacter pylori*. *Lancet*, 2, 1437-1442.

Marshall, B. J. (1994). *Helicobacter pylori*. *American Journal of Gastroenterol*, 89, 116-128.

Marshall, V. M., & Tamime, A. Y. (1997). Starter cultures employed in the manufacture of biofermented milks. . *International Dairy Journal*, 50, 35-39.

Marshall, V. M., & Rawson, H. L. (1999). Effects of exopolysaccharide-producing strains of thermophilic lactic acid bacteria on the texture of stirred yogurt. *International Journal of Food Science and Technology*, 34(2), 137-143.

Marteau, P., Messing, B., Arrigoni, E., et al. (1997). Do patients with short bowel syndrome need a lactose free diet? *Nutrition*, 13, 13-16.

Mayer, M. (2010). *Dairy Foods*:  
[http://www.dairyfoods.com/Articles/Feature\\_Article/BNP\\_GUID\\_9-5-2006\\_A\\_10000000000000925730](http://www.dairyfoods.com/Articles/Feature_Article/BNP_GUID_9-5-2006_A_10000000000000925730)

McCallion, W. A., Murray, L. J., Bailie, A. G., Dalzell, A. M., & Bamford, K. B. (1996). *Helicobacter pylori* infection in children: relation with current household living conditions. *Gut*, 39, 18-21.

McCarthy, C., Patchett, S., Collins, R. M., Beattie, S., Keane, C., & O'Morain, C. (1995). Long-term prospective study of *Helicobacter pylori* in nonulcer dyspepsia. *Dig. Dis. Science*, 40, 114-119.

McCue, P. P., & Shetty, K. (2005). Phenolic antioxidant mobilization during yogurt production from soymilk using Kefir cultures. *Process Biochemistry*, 40, 1791-1797.

McFarland, L. V. (2000). Normal flora: diversity and functions. *Microbial Ecology*, 12, 193-207.

Megraud, F. (2004). *H. pylori* antibiotic resistance: prevalence, importance, and advances in testing. *Gut*, 53, 1374-1384.

Mendall, M., Goggin, P. M., Molineaux, N., Levy, J., Toosy, T., & Northfield, T. C. (1992). Childhood living conditions and *Helicobacter pylori* seropositivity in adult life. *Lancet*, 339, 896-897.

Metchnikoff, L. E. (2004). The prolongation of life: Optimistic studies (reprinted edition 1907). In. New York, USA: Springer Publishing Company.

Meyer, A. L., Micksche, M., Herbacek, I., & Elmadfa, I. (2006). Daily intake of probiotic as well as conventional yogurt has a stimulating effect on cellular immunity in young healthy women. *Ann Nutr Metab*, 50(3), 282-289.

Meyers, K. J., Watkins, C. B., Pritts, M. P., & Liu, R. H. (2003). Antioxidant and antiproliferative activities of strawberries. *Journal of Agricultural and Food Chemistry*, 51, 6887-6892.

Midolo, P. D., Lambert, J. R., & Hull, R. (1995). *In vitro* inhibition of *Helicobacter pylori* NCTC 11637 by organic acids and lactic acid bacteria. *Journal of Applied Bacteriology*, 79, 475-479.

Miron, T., Rabinkov, A., Mirelman, D., Wilchek, H., & Weiner, L. (2000). The mood of action of allicin: its ready permeability through phospholipid membranes may contribute to its biological activity. *Biochem Biophys Acta*, 1463, 20-30.



- Mital, B. K., & Garg, S. K. (1992). *Acidophilus* milk products: Manufacture and therapeutics. *Food Reviews International*, 8(3), 347-389
- Mizote, T., Yoshiyama, H., & Nakazawa, T. (1997). Urease-independent chemotactic responses of *Helicobacter pylori* to urea, urease inhibitors, and sodium bicarbonate. *Infect. Immun*, 65, 1519–1521.
- Mobley, H. L. T., Island, M. D., & Hausinger, R. P. (1995). Molecular biology of microbial ureases. *Microbiol. Rev.* 59, 451-480.
- Montecucco, C., & Rappuoli, R. (2001). Living dangerously: how *Helicobacter pylori* survive in the human stomach. *Nat Rev Mol Cell Biol*, 2(6), 457-466.
- Morita, H., He, F., Fuse, T., Ouwehand, A. C., Hashimoto, H., & Hosoda, M. (2002). Cytokine production by the murine macrophage cell line J774.1 after exposure to *Lactobacilli*. *Bioscience, Biotechnology, Biochemistry*, 66, 1963-1966.
- Naidu, A. S., Bidlack, W. R., & Clemens, R. A. (1999). Probiotic Spectra of Lactic Acid Bacteria (LAB) *food science and nutrition*, 39(1), 13-126.
- Neithercut, W. D., Rowe, P. A., Nujumi, A. M., Dahill, S., & McColl, K. E. L. (1993). Effect of *Helicobacter pylori* infection on intragastric urea and ammonium concentrations in patients with chronic renal failure. *Journal of Clinical Pathology*, 46, 544-547.
- Neysens, P., Messens, W., Dirk Gevers, D., Swings, J., & Vuyst, L. D. (2003). Biphasic kinetics of growth and bacteriocin production with *Lactobacillus amylovorus* DCE 471 occurs under stress conditions *Microbiology*, 149, 1073-1082.
- Nilsson, H. O., Aleljung, P., Nilsson, I., Tyszkiewicz, T., & Wadstrom, T. (1996). Immunomagnetic bead enrichment and PCR for detection of *Helicobacter pylori* in human stools. *Journal of Microbiology. Methods*, 27, 73-79.
- Njume, C., Afolayan, A. J., & Ndip, R. N. (2009). An overview of antimicrobial resistance and the future of medicinal plants in the treatment of *Helicobacter pylori* infections. *African Journal of Pharmacy and Pharmacology*, 3(13), 685-699.
- Nourai, M., Latifi-Navid, S., Rezvan, H., Radmard, A. R., Maghsudlu, M., Zaer-Rezaei H, et al. (2009). Childhood hygienic practice and family education status determine the prevalence of *Helicobacter pylori* infection in Iran. *Helicobacter* 14, 40-46.

Novak, L., Loubiere, p. (2000). The metabolic network of *Lactococcus lactis*: distribution of <sup>14</sup>C-labeled substrates between catabolic and anabolic pathways. *Journal of Bacteriology*, 182(4), 1136-1143.

O’Gara, E. A., Hill, D. J., & Maslin, D. J. (2000). Activities of Garlic Oil, Garlic Powder, and Their Diallyl Constituents against *Helicobacter pylori*. *Applied and Environmental Microbiology*, 2269–2273.

O'Connor, E. B., Barrett, E., Fitzgerald, G., Hill, C., Stanton, C., & Ross, R. P. (2005). Production of vitamins, expolysaccharides and bacteriocins by probiotic bacteria. In Tamime, A. Y (Ed.), *Probiotic Dairy products*, Blackwell.

Oliveira, R. B. P., OliveiraII, A. L., & GlóriaI, M. B. A. (2008). Screening of lactic acid bacteria from vacuum packaged beef for antimicrobial activity. *Brazilian Journal of Microbiol.*, 39(2).

Olukoga, A., & Donaldson, D. (2000). Liquorice and its health implications. *J R Soc Health*, 120(2), 83-89.

Orrhage K, Sillerstro¨ m E, Gustafsson J. A¨ , Nord C. E, & Rafter J. (1994). Binding of mutagenic heterocyclic amines by intestinal and lactic acid bacteria. *Mutation Research*, 311, 239-248.

Oskar, A., Simin, N. M., Robert, M. R. (2004). Yogurt and gut function. *American Journal of Clinical Nutrition*, 80, 245-256.

Ostlie, H. M., Helland H. M., & Narvhus, J. A. (2003). Growth and metabolism of selected strains of probiotic bacteria in milk medium. *International Journal of Food Microbiology*, 87, 17-27.

Ouwehand, A. C., Salminen, S., & Isolauri, E. (2002). Probiotics: An overview of beneficial effects. *Antonie Van Leeuwenhoek*, 82, 279-289.

Ouwehand, A. C., & Vesterlund, S. (2004). Antimicrobila components from Lactic Acid Bacteria. In S. Salminen, A. V. Wright & A. Ouwehand (Eds.), *Lactic acid bacteria: microbiological and functional aspects*

Pacheco, P., Sierra, J., Schmeda-Hirschmann, G., Potter, C. W., Jones, B. M., & Moshref, M. (1993). Antiviral activities of Chilean medicinal plant extracts. *Phytother Res*, 7, 415-418.

Pakodi, F., Abdel-Salam, O. M. E., Debreceni, A., & Mózsik, G. (2000). *Helicobacter pylori*. One bacterium and a broad spectrum of human disease! An overview. *Journal of Physiology*, 94(2), 139-152.

Parente, F., Cucino, C., & Bianchi, P. G. (2003). Treatment options for patients with *Helicobacter pylori* infection resistant to one or more eradication attempts. *Digestive and Liver Disease* 35, 523-528.

Parsonnet, J. (1993). *Helicobacter pylori* and gastric cancer. *Clin. North Am*, 22, 89–104.

Parsonnet, J., Friedmann, G. D., Vandersteen, D. P., Chang, Y., Vogelman, N., Orentreich, N., et al. (1991). *Helicobacter pylori* infection and the risk of gastric carcinoma. *N Engl J Med*, 325, 1127-1131.

Parsonnet, J., Hansen, S., Rodriguez, L., Gelb, A. B., Warnke, R. A., Jellum, E., et al. (1994). *Helicobacter pylori* infection and gastric lymphoma. *N. Engl. J. Med*, 330, 1267-1271.

Patel, P., Mendall, M. A., Carrington, D., Strachan, D. P., Leatham, E., & Molineaux, N. (1995). Association of *Helicobacter pylori* and *Chlamidiya pneumoniae* infections with coronary heart disease and cardiovascular risk factors. *Br. Med. J*, 311, 711-714.

Perez-Perez, G.I., Olivares, A.Z., Cover, T.L., & Blaser, M.J. (1992). Characteristics of *Helicobacter pylori* variants selected for urease deficiency. *Infect. Immun*, 60, 3658-3663.

Peters, R. K. (1992). Diet and colon in Los Angeles County, California. *Cancer Causesn Control*, 3, 457-473.

Playne, M. J., Bennet, L. E., & Smithers, G. W. (2003). Functional dairy foods and ingredients. *The Australian Journal of Dairy Technology*, 58, 242-264.

Prajapati, J. B., & Dave, R. I. (1994). Associative growth of *L. acidophilus* and *S. thermophilus* in buffalo milk. Paper presented at the 24th Dairy Congress, Melbourne, Australia.

Prakash, A., Rigelhof, F., Miller, E. (2001). Antioxidant activity. *Medllion Labs*, 19(2).

Prasad, J., Gil, H., Smart, J., & Gopal, P. K. (1998). Selection and characterization of *Lactobacillus* and *Bifidobacterium* strains for use as probiotics. *International Dairy Journal*, 8, 993-1002.

Pratt, D. E., Huang, M. T., Ho, C. T., & Lee, C. (1992). Natural antioxidants from plant material. In phenolic Compounds in Food and their Effects on Health. (volume 1). Antioxidants and Cancer Prevention, ACS Symposium Series 507. *American Chemical Society: Washington, DC*, 54-71.

Pratt, D. E., & Hudson, B. J. F. (1990). Natural antioxidants not exploited commercially. In Hudson, B. J. F. (Ed.), *Food antioxidants*. *Amsterdam: Elsevier*, 171-192.

Puangprongpitag, D., & Sittiwet, C. (2009). Antimicrobial properties of *Cinnamomum verum* aqueous extract from <http://scialert.net/fulltext/?doi=ajbs.2009.49.53>

Raisic, J. L., & Kurman, J. A. (1978). Yogurt-scientific grounds, technology, manufacture and preparations. *Copenhagen: Technical Dairy Publishing House*.

Rauws, E. A., Langenberg, W., Houthoff, H. J., Zanen, H. C., & Tytgat, G. N. (1988). *Campylobacter pyloridis* -associated chronic active antral gastritis. A prospective study of its prevalence and the effects of antibacterial and antiulcer treatment. *Gastroenterology*, 94, 33-40.

Red  en, S., Ryberg, A., Petersson, F., Eriksson, O., N  gga, K., & Borch, K. (2009). Homocysteine Levels in Chronic Gastritis and Other Conditions: Relations to Incident Cardiovascular Disease and Dementia. *Digestion Science*, 7.

Rivasseau, C., Boisson, A. M., Mong  lard, G., Couram, G., Bastien, O., & Bligny, R. (2006). Rapid analysis of organic acids in plant extracts by capillary electrophoresis with indirect UV detection. Directed metabolic analyses during metal stress. *Journal of Chromatography A*, 1129, 283-290.

Robert, L., Clancy, M. D., & Pang, G. (2007). Probiotics - Industry myth or a practical reality? *Journal of the American College of Nutrition*, 26(6), 691-694.

Roderick, I. M., Abdelghani, S., & Gaskins, H. R. (1999). Developmental microbial ecology of the neonatal gastrointestinal tract. *American Journal of Clinical Nutrition*, 69(5), 1035-1045.

Roland, J. S., Jan, K., Tjakko, A., & Gertjan, S. (2002). *Lactic acid bacteria: genetics, metabolism, and applications*. Kluwer Academic Publisher.

Ruas-Madiedo, P., & de los Reyes-Gavilan, C., G., (2005). Invited review: Methods for the screening, isolation, and characterization of exopolysaccharides produced by lactic acid bacteria. *Journal of Dairy Science*, 88, 843-856.

Ruas-Madiedo, P., Hugenholtz, J., & Zoon, P. (2002). An overview of the functionality of exopolysaccharides produced by lactic acid bacteria. *International Dairy Journal*, 12, 163-171.

Ruiza, R., Garcíab, M. P., Larab, A., & Rubio, L. A. (2010). Garlic derivatives (PTS and PTS-O) differently affect the ecology of swine faecal microbiota *in vitro*. *Veterinary Microbiology*, 144(1-2), 110-117.

Rybka, S. (1994). The enumeration of *Lactobacillus*, *Streptococcus* and *Bifidobacterium* species in yogurt. *B.Sc. dissertation, University of New South Wales, Sydney*.

Rybka, S., & Kailasapathy, K. (1995). The survival of culture bacteria in fresh and freeze-dried AB yogurts. *The Australian Journal of Dairy Technology*, 50(2), 58-60.

Sahashidar, N. S. (2002). Studies on bioactive natural compounds for their antimicrobial and antioxidant properties. Phd thesis, Dept of Microbiology, *Osmania University, Hyderabad*.

Saleminen, S., Isolauri, E., & Saleminen, E. (1996). Probiotics and stabilization of the gut mucosal barrier. *Asia Pacific Journal of Clinical Nutrition*, 5, 53-56.

Santivarangkna, C., Higl, B., & Foerst, P. (2008). Protection mechanisms of sugars during different stages of preparation process of dried lactic acid starter cultures. *Food Microbiology*, 25, 429-441.

Savadogo, A., OuattaraCheik, A. T., Bassole Imael, H. N., & Traoret, S. A. (2006). Bacteriocins and lactic acid bacteria - a minireview. *African Journal of Biotechnology*, 5(9), 678-683.

Savadogo, A., Ouattara, A. T., Bassole, H. N., & Traore, A. S. (2004). Antimicrobial activities of lactic acid bacteria strains isolated from Burkina Faso fermented milk. *Pakistan Journal of Nutrition*, 3(3), 174-179.

Savaiano, D. A., Abou El, Anouar A., Smith, D. E., & Levitt, M. D. (1984). Lactose malabsorption from yogurt, pasteurized yogurt, sweet *acidophilus* milk, and cultured milk in lactase-deficient individuals. *Am J Clin Nutr*, 40, 1219-1223.

Sgouras, D., Maragkoudakis, P., Petraki, K., Martinez-Gonzalez, B., Eriotou, E., Michopoulos, S., et al. (2004). *In Vitro* and *In Vivo* Inhibition of *Helicobacter pylori* by *Lactobacillus casei* Strain Shirota. *Appl Environ Microbiol*, 70(1), 518-526.

Shah, N. P. (1998). *Journal of Dairy Science*, 81, 2804-2816.

Shah, N. P. (2000). Probiotic bacteria, selective enumeration and survival in dairy foods. *Journal of Dairy Science*(83), 894-907.

Shah, N. P. (2004). Probiotics and prebiotics. *Agrofood Industry Hi tech*, 15, 13-16.

Shah, N. P. (2006). Microorganisms and health attributes (probiotics). In Chandan R. C (Ed.), *Manufacturing yogurt and fermented milks* (pp. 341-354). USA: *Blackwell Publishing Professional*.

Shah, N. P. (2007). Functional cultures and health benefits. *International Dairy Journal*, 17, 1262-1277.

Shah, N. P., & Jelen, P. (1990). Survival of Lactic Acid Bacteria and Their Lactases under Acidic Conditions. *Journal of Food Science*, 55(2), 506-509.

Shah, N. P., Lankaputhra, W. E. V., Britz, M., & Kyle, W. S. A. (1995). Survival of *Lactobacillus acidophilus* and *Bifidobacterium bifidum* in commercial yogurt during refrigerated storage. *International Dairy Journal*, 5, 515-521.

Shahani, K. M., & Chandan, R. C. (1979). Nutritional and healthful aspects of cultured and culture-containing dairy foods. *Journal of Dairy Science*, 62, 1685-1694.

Shaik Mahaboob, Ali., Aleem, A Khan., Irshad, Ahmed., M, Musaddiq., Khaja, S Ahmed., H, Polasa., et al. (2005). Antimicrobial activities of Eugenol and Cinnamaldehyde against the human gastric pathogen *Helicobacter pylori*. *Annals of Clinical Microbiology and Antimicrobials*, 4, 20.

Shan, B., Cai, Y. Z., Sun, M., & Corke, H. (2005). Antioxidant capacity of 26 spice extracts and characterization of their phenolic constituents. *Journal of Agricultural and Food Chemistry*, 53, 7749-7759.

Shana, B., Caia, Y. Z., Brooksb, J. D., & Corke, H. (2007). The *in vitro* antibacterial activity of dietary spice and medicinal herb extracts *International Journal of Food Microbiology* 117(1), 112-119.

Sheu, B. S., Wu, J. J., & Lo, C. Y. (2002). *Lactobacillus* and *Bifidobacteria* containing yogurt can improve the drug compliance of triple therapy for *Helicobacter pylori* eradication. *Aliment Pharmacol Ther*, 16, 1669-1675.

Sheu, B. S., Wu, J. J., & Lo, C. Y. (2003). Impact of supplement with *Lactobacillus* and *Bifidobacterium*-containing yogurt on triple therapy for *Helicobacter pylori* eradication. *Ailment Pharmacol Ther*, 16, 1669-1675.

Shihata, A., & Shah, N. P. (2000). Proteolytic profiles of yogurt and probiotic bacteria. *International Dairy Journal* 10, 401-408.

Sivam, G. P., Lampe, J. W., Ulness, B., Swanzy, S. R., & Potter, J. D. (1997). *Helicobacter pylori*—in vitro susceptibility to garlic (*Allium sativum*) extract. *Nutr. Cancer*, 27, 118-121.

Slattery, M. L., Schumacher, M. C., & Smith, K. R. (1990). Physical activity, diet, and risk of colon cancer in Utah. *American Journal of Epidemiology*, 131(3), 568-569.

Smith, T. M., Kolars, J .C., Savaiano, D. A., & Levitt, M. D. (1985). Absorption of calcium from milk and yogurt. *American Journal of Clinical Nutrition*, 42, 1197-1200.

Smooth, D. T., Mobley, H. L., Chippendale, G. R., Lewison, J. F., & Resau, J. H. (1994). *Helicobacter pylori* urease activity is toxic to human gastric epithelial cells. *Infect. Immun*, 58, 1992-1994.

Soares, J. R., Dinis, T. C. P., Cunha, A. P., & Ameida, L. M. (1997). Antioxidant activity of some extracts of *Thymus zygis*. *Free Radical Research*, 26, 469-478.

Srikanth, C. V., & McCormick, B. A. (2008). Interactions of the Intestinal Epithelium with the Pathogen and the Indigenous Microbiota: A Three-Way Crosstalk. *Interdiscip Perspect Infect Dis*.

Stoll, A., & Seebeck, E. (1951). Chemical investigations of allicin, the specific principle of garlic. *Adv. Enzymol*, 11, 377-400.

Stuart –Tilley, A. C., Sardet, J., & Pouyssegur, M. A. (1994). Immunolocalization of anion exchanger AE2 and cation exchanger NHE-1 in distinct adjacent cells of gastric mucosa. *American Journal of Physiology*, 266, 559-568.

Suresh, P., Ingle, V. K., & Vijaya Lakshmi, V. (1992). Antibacterial activity of Eugenol in comparison with other antibiotics. *Journal of Food Science Technology*, 29, 254-256.

Sutherland, I.W. (1972). Bacterial exopolysaccharides. *Adv. Microbiol. Physiol.* 8, 143-213.

Tabak, M., Armon, R., & Neeman, I. (1999). Cinnamon extracts inhibitory effect on *Helicobacter pylori*. *J Ethnopharmacol*, 67, 269-277.

Tabak, M., Armon, R., Potasman, I., & Neeman, I. (1996). *In vitro* inhibition of *Helicobacter pylori* by extracts of thyme. *Journal of Applied Bacteriology*, 80, 667-672.

Talwalkar, A., & Kailasapathy, K. (2004). A review of oxygen toxicity in probiotic yogurts: Influence on the survival of probiotic bacteria and protective techniques. *Comprehensive Reviews in Food Science and Food Safety* 3, 117-124.

Tamine, A. Y., & Deeth, H. C. (1980). Yogurt: technology and biochemistry. *J Food Protection*, 43(12), 939-977.

Tamime, A. Y., & Robinson, R. K. (1985). Yogurt Science and Technology. *Pergamon Press, New York, NY*.

Tannock, G. W. (1995). Normal microflora. An introduction to microbes inhibiting the human body. *Chapman and Hall, London*.

Taylor, D. N., & Parsonnet, J. (1995). The epidemiology and natural history of *Helicobacter pylori* infection. In: In Blaser MJ, Smith PD, Ravdin JI, Greenberg HB & Guerrant RL (Eds.), *Infections of the gastrointestinal tract* (pp. 551–564). *New York: Raven Press*.

Taylor, L. (2004). Healing power of rainforest herbs. Carson, NV: Square One Publishers.

The Ayurvedic Pharmacopoeia of India. (2001). Part I, The Controller of Publication, Delhi, India, 1, 260.



The Notional Yogurt Association. (2001). Yogurt an excellent source of calcium and protein - Brief Article. *AORN Journal*.

Tomb, J. F., White, O., Kerlavage, A. R., & Clayton, R. A. et al. (1997). The complete genome sequence of the gastric pathogen *Helicobacter pylori*. *Nature* 388, 539-547.

Torino, M. I., Taranto, M. P., Sesma, F., & Font De Valdez, G. (2001). Heterofermentative pattern and exopolysaccharide production by *Lactobacillus helveticus* ATCC 15807 in response to environmental pH. *Journal of Applied Microbiology*, 91(5), 846-852.

Toshio, Fukai., Ai, Marumo., Kiyoshi, Kaitou., Toshihisa, Kanda., Sumio, Terada., & Taro, Nomura. (2002). Anti-*Helicobacter pylori* flavonoids from licorice extract. *Life Sciences*, 71, 1449-1463.

Toussant-Samat, M. (1992). *History of Food*: Blackwell, Oxford.

Tytgat, G. N. J. (1994). Review article, treatments that impact favorably upon the eradication of *Helicobacter pylori* and ulcer recurrence. *Aliment. Pharmacol. Ther*, 8, 359-368.

Ueda, Y., Sakaguchi, M., Hirayama, K., Miyajima, R., & Kimizuka, A. (1990). Characteristic flavor constituents in water extract of garlic. *Agric. Biol. Chem*, 54(1), 163-169.

Vale, F. F., & Vitor, J. M. (2007). Genomic methylation: a tool for typing *Helicobacter pylori* isolates. *Applied and Environmental Microbiology*, 73, 4243-4249.

Valenzuela, M., Cerda, O., & Toledo, H. (2003). Overview on chemotaxis and acid resistance in *Helicobacter pylori*. *Biol. Res* 36(3-4).

Vandenbergh, P. A. (1993). Lactic acid bacteria, their metabolic products and interference with microbial growth. *FEMS Microbiology Review*, 12(1-3), 221-237.

Varga, L. (2006). Effect of acacia (*Robinia pseudo-acacia* L.) honey on the characteristic microflora of yogurt during refrigerated storage. *International Journal of Food Microbiology*, 108, 272-275.

- Vedamuthu, E. R. (1982). Fermented Milks. In A.H. Rose (Ed.), *Economic microbiology: fermented Foods. Academic press:London*, 7, 199-225.
- Vinderola, C. G., & Reinheimer, J. A. (1999). Culture media for the enumeration of *Bifidobacterium bifidum* and *Lactobacillus acidophilus* in the presence of yogurt bacteria. *International Dairy Journal*, 9(8), 497-505.
- Voet, D., & Voet J. G. (2004). Sugar and Polysaccharides. *Biochemistry*, 3, 356-381.
- Voravuthikunchai, S. P., Bilasoi, S., & Supamala, O. (2006). Antagonistic activity against pathogenic bacteria by human vaginal *lactobacilli*. *Anaerobe*, 12, 221-226.
- Wang, K. Y., Li, S. N., & Liu, C. (2004). Effects of ingesting *Lactobacillus*- and *Bifidobacterium*-containing yogurt in subjects with colonized *Helicobacter pylori*. *American Journal of Clinical Nutrition*, 80, 737-741.
- Wargovich ,M. J., Uda, N., Woods, C., Velasco, M., & McKee, K. (1996). *Allium* vegetables: their role in the prevention of cancer. *Bioact. Compounds Foods*, 24, 811-813.
- Wargovich, M. J. (2006). Diallylsulfide and Allylmethylsulfide are uniquely effective among organosulfur compounds in inhibiting CYP2E1 protein in animal models. *Journal of Nutrition*, 136, 832-834.
- Warren, J. R., & Marshall, B. J. (1983). Unidentified curved *bacilli* on gastric epithelium in active chronic gastritis. *Lancet I*, 1273-1275.
- Weck, M. N., Gao, L., & Brenner, H. (2009). *Helicobacter pylori* infection and chronic atrophic gastritis: associations according to severity of disease. *Epidemiology*, 20(4), 569-574.
- Wendakoon, C. N., Thomson, A. B. R., & Ozimek, L. (2002). Lack of therapeutic effect of a specially designed yogurt for the eradication of *Helicobacter pylori*. *Digestion*, 65(16-20).
- Wilkinson, F. (2008). Health Benefits of Cinnamon (Publication., from The United States Department of Agriculture (USDA)): [http://food-facts.suite101.com/article.cfm/health\\_benefits\\_of\\_cinnamon](http://food-facts.suite101.com/article.cfm/health_benefits_of_cinnamon)

Wilson, E. A., & Adams, B. D. (2007). Antioxidant, anti-inflammatory, and antimicrobial properties of garlic and onions. *Nutrition and Food Science*, 37(3), 178-183.

Wood, B. J. B., & Holzapfel, W. H. (1995). The Genera of Lactic Acid Bacteria. *Blackie Academic & Professional, London*.

Wood, Rebecca (Ed.) (1988) The Whole Foods Encyclopedia. New York, NY: Prentice-Hall Press.

Wu, C. Q., Chen, F., Wang, X., Kim, H. J., He, G. Q., Haley-Zitlin, V., et al. (2006). Antioxidant constituents in feverfew (*Tanacetum parthenium*) extract and their chromatographic quantification. *Food Chemistry*, 96, 220-227.

Yan, Wu., & Fisher, W. (1997). Practical therapeutics of traditional chinese medicine. *Paradigm Publications, Brookline, MA*.

Yang, J., Meyers, K. J. Heide, J., & Liu, R. H. (2004). Varietal differences in phenolic content and antioxidant and antiproliferative activities of onions. *Journal of Agricultural and Food Chemistry*, 52(22), 6787-6793.

Yoon, H., Benamouzig, R., Little, J., Francois-Collange, M., & Tome, D. (2000). Systematic review of epidemiological studies on meat, dairy products, and egg consumption and risk of colorectal adenomas. *European Journal of Cancer Prevention*, 9, 151-164.

Zaika, L. L. (1988). Spices and herbs: their antimicrobial activity and its determination. *Journal of Food Safety*, 9, 97-118.

Zhang, Q., & Ye, M. (2009). Chemical analysis of the Chinese herbal medicine Gan-Cao (licorice). *J Chromatogr A*, 1216, 1954-1969.

# APPENDICES

## APPENDIX 1: EXPERIMENTAL DATA

### 1.1 pH Analysis

pH values of yogurts during first 5 hours of fermentation at 41 °C

	Time	Plain-yogurt	Cinnamon-yogurt	Licorice-yogurt	Garlic-yogurt
1 <sup>st</sup> Batch	0	6.35	6.26	6.31	6.35
	60	6.19	6.24	6.18	6.18
	120	6.42	5.34	5.40	5.31
	180	4.98	4.93	4.98	4.89
	240	4.72	4.75	4.67	4.59
	300	4.58	4.48	4.52	4.42

	Time	Plain-yogurt	Cinnamon-yogurt	Licorice-yogurt	Garlic-yogurt
2 <sup>nd</sup> Batch	0	6.35	6.26	6.34	6.28
	60	6.27	6.26	6.26	6.27
	120	6.13	6.17	5.99	6.10
	180	5.81	5.84	5.57	5.75
	240	5.14	5.43	4.99	5.13
	300	4.50	4.58	4.48	4.47

3 <sup>rd</sup> Batch	Time	Plain-yogurt	Cinnamon-yogurt	Licorice-yogurt	Garlic-yogurt
	0	6.43	6.41	6.42	6.40
	60	6.17	6.17	6.10	6.19
	120	5.54	5.50	5.49	5.69
	180	5.00	4.97	4.91	4.94
	240	4.63	4.72	4.65	4.62
	300	4.50	4.56	4.50	4.45

The pH values of yogurt during fermentation (average of 3 batches)

Time	Plain-yogurt	Cinnamon-yogurt	Licorice-yogurt	Garlic-yogurt
0	6.37±0.026	6.31±0.050	6.35±0.032	6.34±0.034
60	6.21±0.030	6.22±0.027	6.18±0.046	6.21±0.028
120	5.69±0.219	5.67±0.254	5.62±0.183	5.70±0.228
180	5.26±0.271	5.24±0.296	5.15±0.209	5.19±0.278
240	4.83±0.157	4.96±0.231	4.77±0.110	4.78±0.175
300	4.52±0.026	4.54±0.030	4.50±0.011	4.44±0.014

pH values of yogurt during 28 days storage period at 4°C

	Day	Plain-yogurt	Cinnamon-yogurt	Licorice-yogurt	Garlic-yogurt
1 <sup>st</sup> Batch	0	4.30	4.32	4.34	4.27
	7	4.15	4.07	4.08	4.06
	14	4.23	4.12	4.18	4.14
	21	4.15	4.13	4.15	4.11
	28	4.21	4.18	4.15	4.15

	Day	Plain-yogurt	Cinnamon-yogurt	Licorice-yogurt	Garlic-yogurt
2 <sup>nd</sup> Batch	0	4.44	4.48	4.40	4.42
	7	4.28	4.28	4.22	4.14
	14	4.25	4.29	4.26	4.21
	21	4.27	4.25	4.30	4.21
	28	4.26	4.29	4.31	4.19

	Day	Plain-yogurt	Cinnamon-yogurt	Licorice-yogurt	Garlic-yogurt
3 <sup>rd</sup> Batch	0	4.36	4.36	4.31	4.26
	7	4.18	4.20	4.21	4.15
	14	4.25	4.20	4.14	4.09
	21	3.96	3.99	3.90	3.82
	28	3.83	3.91	3.83	3.70

The pH values of yogurt during storage period (average of 3 batches)

Day	Plain-yogurt	Cinnamon-yogurt	Licorice-yogurt	Garlic-yogurt
0	4.36±0.040	4.38±0.048	4.35±0.026	4.31±0.051
7	4.20±0.039	4.18±0.061	4.17±0.045	4.11±0.028
14	4.24±0.006	4.20±0.049	4.19±0.035	4.14±0.034
21	4.12±0.090	4.12±0.075	4.11±0.116	4.04±0.116
28	4.10±0.135	4.12±0.112	4.09±0.141	4.01±0.157

## 1.2 Titratable Acidity (TA) Analysis

Volume of NaOH (ml) used in TA analysis during 5 hours fermentation at 41 °C

1 <sup>st</sup> Batch	Time	Plain-yogurt	Cinnamon-yogurt	Licorice-yogurt	Garlic-yogurt
	0	0.36	0.36	0.36	0.36
	60	0.36	0.36	0.45	0.45
	120	0.63	0.63	0.72	0.72
	180	0.81	0.72	0.99	0.90
	240	0.90	0.90	1.08	1.08
	300	1.08	1.08	1.08	1.17

2 <sup>nd</sup> Batch	Time	Plain-yogurt	Cinnamon-yogurt	Licorice-yogurt	Garlic-yogurt
	0	0.36	0.36	0.45	0.36
	60	0.45	0.45	0.54	0.54
	120	0.45	0.45	0.54	0.54
	180	0.54	0.63	0.63	0.63
	240	0.81	0.72	0.99	0.81
	300	0.99	1.08	1.08	1.08

3 <sup>rd</sup> Batch	Time	Plain-yogurt	Cinnamon-yogurt	Licorice-yogurt	Garlic-yogurt
	0	0.18	0.09	0.09	0.09
	60	0.27	0.27	0.27	0.27
	120	0.36	0.36	0.45	0.36
	180	0.54	0.54	0.63	0.54
	240	0.63	0.63	0.72	0.63
	300	0.72	0.72	0.81	0.72



The TA values of yogurt during fermentation (average of 3 batches)

Time	Plain-yogurt	Cinnamon-yogurt	Licorice-yogurt	Garlic-yogurt
0	0.30±0.060	0.27±0.090	0.30±0.108	0.27±0.090
60	0.36±0.051	0.36±0.051	0.42±0.079	0.42±0.079
120	0.48±0.079	0.48±0.079	0.57±0.079	0.54±0.103
180	0.63±0.090	0.63±0.051	0.75±0.120	0.69±0.108
240	0.78±0.079	0.75±0.079	0.93±0.108	0.84±0.130
300	0.93±0.108	0.96±0.120	0.99±0.090	0.99±0.137

TA values of yogurt during 28 days storage period at 4°C

	Day	Plain-yogurt	Cinnamon-yogurt	Licorice-yogurt	Garlic-yogurt
1 <sup>st</sup> Batch	0	1.08	1.08	1.17	1.08
	7	1.35	1.35	1.53	1.44
	14	1.08	1.35	1.35	1.35
	21	1.17	1.35	1.35	1.17
	28	1.35	1.44	1.44	1.35

	Day	Plain-yogurt	Cinnamon-yogurt	Licorice-yogurt	Garlic-yogurt
2 <sup>nd</sup> Batch	0	0.99	0.99	1.08	1.17
	7	1.08	1.08	1.17	1.26
	14	1.17	1.26	1.35	1.26
	21	1.35	1.26	1.53	1.35
	28	1.44	1.26	1.44	1.44

	Day	Plain-yogurt	Cinnamon-yogurt	Licorice-yogurt	Garlic-yogurt
3 <sup>rd</sup> Batch	0	0.81	0.90	0.90	0.90
	7	0.90	0.90	0.90	0.99
	14	0.90	0.90	0.99	0.99
	21	0.90	0.90	0.99	0.90
	28	0.99	0.99	1.08	0.99

TA values of yogurt during storage period (average of 3 batches)

Day	Plain-yogurt	Cinnamon-yogurt	Licorice-yogurt	Garlic-yogurt
0	0.96±0.079	0.99±0.051	1.05±0.079	1.05±0.079
7	1.11±0.130	1.11±0.130	1.20±0.182	1.23±0.130
14	1.05±0.079	1.17±0.137	1.23±0.120	1.20±0.108
21	1.14±0.130	1.17±0.137	1.29±0.158	1.14±0.130
28	1.26±0.137	1.23±0.130	1.32±0.120	1.26±0.137

### 1.3 Viable Cell Count Analysis (CFU)

Viable *Streptococcus thermophilus* count (cfu/ml<sup>-1</sup>) in yogurt during 28 days storage period at 4°C

	Day	Plain-yogurt	Cinnamon-yogurt	Licorice-yogurt	Garlic-yogurt
1 <sup>st</sup> Batch	0	76 x 10 <sup>6</sup>	73 x 10 <sup>6</sup>	51 x 10 <sup>6</sup>	90 x 10 <sup>6</sup>
	7	153 x 10 <sup>6</sup>	132 x 10 <sup>6</sup>	148 x 10 <sup>6</sup>	147 x 10 <sup>6</sup>
	14	131 x 10 <sup>6</sup>	171 x 10 <sup>6</sup>	194 x 10 <sup>6</sup>	121 x 10 <sup>6</sup>
	21	72 x 10 <sup>6</sup>	96 x 10 <sup>6</sup>	101 x 10 <sup>6</sup>	67 x 10 <sup>6</sup>
	28	71 x 10 <sup>6</sup>	89 x 10 <sup>6</sup>	113 x 10 <sup>6</sup>	119 x 10 <sup>6</sup>

	Day	Plain-yogurt	Cinnamon-yogurt	Licorice-yogurt	Garlic-yogurt
2 <sup>nd</sup> Batch	0	115 x 10 <sup>6</sup>	65 x 10 <sup>6</sup>	95x 10 <sup>6</sup>	120 x 10 <sup>6</sup>
	7	106 x 10 <sup>6</sup>	172 x 10 <sup>6</sup>	165 x 10 <sup>6</sup>	129 x 10 <sup>6</sup>
	14	117 x 10 <sup>6</sup>	97 x 10 <sup>6</sup>	97 x 10 <sup>6</sup>	113 x 10 <sup>6</sup>
	21	89 x 10 <sup>6</sup>	80 x 10 <sup>6</sup>	25 x 10 <sup>6</sup>	109 x 10 <sup>6</sup>
	28	104 x 10 <sup>6</sup>	27 x 10 <sup>6</sup>	39 x 10 <sup>6</sup>	58 x 10 <sup>6</sup>

	Day	Plain-yogurt	Cinnamon-yogurt	Licorice-yogurt	Garlic-yogurt
3 <sup>rd</sup> Batch	0	121 x 10 <sup>6</sup>	150 x 10 <sup>6</sup>	111 x 10 <sup>6</sup>	147 x 10 <sup>6</sup>
	7	87 x 10 <sup>6</sup>	110 x 10 <sup>6</sup>	117 x 10 <sup>6</sup>	111 x 10 <sup>6</sup>
	14	124 x 10 <sup>6</sup>	102 x 10 <sup>6</sup>	89 x 10 <sup>6</sup>	86 x 10 <sup>6</sup>
	21	130 x 10 <sup>6</sup>	173 x 10 <sup>6</sup>	145 x 10 <sup>6</sup>	147 x 10 <sup>6</sup>
	28	101 x 10 <sup>6</sup>	143 x 10 <sup>6</sup>	97 x 10 <sup>6</sup>	42 x 10 <sup>6</sup>

Viable *S. thermophilus* count ( $10^6$  cfu/ml<sup>-1</sup>) during storage period (average of 3 batches)

Day	Plain-yogurt	Cinnamon-yogurt	Licorice-yogurt	Garlic-yogurt
0	104±14.10	96±027.09	85±17.93	119±16.46
7	115±19.61	138±18.14	143±14.05	129±10.39
14	124±4.04	123±23.87	126±33.74	106±10.58
21	97±17.21	116±28.70	90±35.04	107±23.10
28	92±10.53	86±33.51	83±22.47	73±23.45

Viable *Lactobacillus* spp. count (cfu/ml<sup>1</sup>) in yogurt during 28 days storage period at 4°C

	Day	Plain-yogurt	Cinnamon-yogurt	Licorice-yogurt	Garlic-yogurt
1 <sup>st</sup> Batch	0	26.3 x 10 <sup>6</sup>	16.3 x 10 <sup>6</sup>	21.4 x 10 <sup>6</sup>	31.5 x 10 <sup>6</sup>
	7	19.2 x 10 <sup>6</sup>	17.3 x 10 <sup>6</sup>	14.5 x 10 <sup>6</sup>	19.4 x 10 <sup>6</sup>
	14	6.1 x 10 <sup>6</sup>	7.6 x 10 <sup>6</sup>	19.4 x 10 <sup>6</sup>	32 x 10 <sup>6</sup>
	21	6.8 x 10 <sup>6</sup>	8.6 x 10 <sup>6</sup>	13.2 x 10 <sup>6</sup>	8.5 x 10 <sup>6</sup>
	28	5.2 x 10 <sup>6</sup>	8.9 x 10 <sup>6</sup>	7.9 x 10 <sup>6</sup>	6.1 x 10 <sup>6</sup>

	Day	Plain-yogurt	Cinnamon-yogurt	Licorice-yogurt	Garlic-yogurt
2 <sup>nd</sup> Batch	0	6.7 x 10 <sup>6</sup>	6.5 x 10 <sup>6</sup>	10.2 x 10 <sup>6</sup>	10.9 x 10 <sup>6</sup>
	7	15.4 x 10 <sup>6</sup>	7.2 x 10 <sup>6</sup>	10.4 x 10 <sup>6</sup>	8.3 x 10 <sup>6</sup>
	14	6.4 x 10 <sup>6</sup>	9.7 x 10 <sup>6</sup>	6.8 x 10 <sup>6</sup>	5.6 x 10 <sup>6</sup>
	21	1.7 x 10 <sup>6</sup>	8.5 x 10 <sup>6</sup>	4.7 x 10 <sup>6</sup>	2.5 x 10 <sup>6</sup>
	28	2.9 x 10 <sup>6</sup>	2.7 x 10 <sup>6</sup>	1.6 x 10 <sup>6</sup>	2.6 x 10 <sup>6</sup>

	Day	Plain-yogurt	Cinnamon-yogurt	Licorice-yogurt	Garlic-yogurt
3 <sup>rd</sup> Batch	0	5.9 x 10 <sup>6</sup>	5.6 x 10 <sup>6</sup>	5.3 x 10 <sup>6</sup>	6.1 x 10 <sup>6</sup>
	7	12.8 x 10 <sup>6</sup>	4.9 x 10 <sup>6</sup>	13.5 x 10 <sup>6</sup>	14 x 10 <sup>6</sup>
	14	13.2 x 10 <sup>6</sup>	2.6 x 10 <sup>6</sup>	3.4 x 10 <sup>6</sup>	14.4 x 10 <sup>6</sup>
	21	16.3 x 10 <sup>6</sup>	2.6 x 10 <sup>6</sup>	7.4 x 10 <sup>6</sup>	8.5 x 10 <sup>6</sup>
	28	3.9 x 10 <sup>6</sup>	2.9 x 10 <sup>6</sup>	9.7 x 10 <sup>6</sup>	4.3 x 10 <sup>6</sup>

Viable *Lactobacillus* spp. count ( $10^6$  cfu/ml<sup>1</sup>) during storage period (average of 3 batches)

Day	Plain-yogurt	Cinnamon-yogurt	Licorice-yogurt	Garlic-yogurt
0	12.9±6.67	9.4±3.42	12.3±4.76	16.1±7.79
7	15.8±1.85	9.8±3.80	12.8±1.23	14±3.21
14	8.5±2.31	6.6±2.10	9.8±4.86	14.4±8.78
21	8.2±4.27	6.5±1.98	8.4±2.50	8.5±3.52
28	4±0.66	4.8±2.03	6.4±2.45	4.3±1.01

## 1.4 DPPH Assay

Absorbance reading (517nm) of DPPH assay in yogurt during 28 days storage period at 4°C

		0	7	14	21	28
1 <sup>st</sup> Batch	Control	0.331	0.406	0.445	0.394	0.384
	Plain-yogurt	0.272	0.351	0.333	0.375	0.332
	Cinnamon-yogurt	0.265	0.254	0.375	0.344	0.318
	Licorice-yogurt	0.263	0.304	0.390	0.382	0.325
	Garlic-yogurt	0.289	0.314	0.315	0.374	0.382

		0	7	14	21	28
2 <sup>nd</sup> Batch	Control	0.367	0.355	0.496	0.337	0.334
	Plain-yogurt	0.316	0.255	0.457	0.278	0.276
	Cinnamon-yogurt	0.320	0.276	0.466	0.250	0.273
	Licorice-yogurt	0.297	0.273	0.465	0.291	0.300
	Garlic-yogurt	0.334	0.307	0.470	0.294	0.322

		0	7	14	21	28
3 <sup>rd</sup> Batch	Control	0.362	0.360	0.519	0.342	0.333
	Plain-yogurt	0.297	0.288	0.494	0.280	0.302
	Cinnamon-yogurt	0.280	0.250	0.442	0.287	0.293
	Licorice-yogurt	0.286	0.277	0.441	0.222	0.287
	Garlic-yogurt	0.323	0.314	0.477	0.286	0.309



Percentage inhibition (%) of DPPH in yogurts at 28 days during storage period

		0	7	14	21	28
1st Batch	Plain-yogurt	17.82	13.54	25.16	4.82	13.54
	Cinnamon-yogurt	19.93	37.43	15.73	12.69	17.18
	Licorice-yogurt	20.54	25.12	12.35	3.04	15.36
	Garlic-yogurt	12.68	22.66	29.21	5.07	0.52

		0	7	14	21	28
2 <sup>nd</sup> Batch	Plain-yogurt	13.89	28.16	7.86	17.50	17.36
	Cinnamon-yogurt	12.80	22.25	6.04	25.81	18.26
	Licorice-yogurt	19.07	23.09	6.25	13.64	10.17
	Garlic-yogurt	8.99	13.52	5.24	12.75	3.59

		0	7	14	21	28
3 <sup>rd</sup> Batch	Plain-yogurt	21.39	20	4.81	18.12	9.30
	Cinnamon-yogurt	34.02	30.55	14.83	16.37	12.01
	Licorice-yogurt	22.68	23.05	15.02	35.08	13.81
	Garlic-yogurt	10.56	12.77	8.09	16.08	7.20

Absorbance reading (517nm) of DPPH assay in yogurts during storage period (average of 3 batches)

	0	7	14	21	28
Control	0.362	0.373	0.486	0.357	0.350
Plain-yogurt	0.297	0.298	0.428	0.311	0.303
Cinnamon-yogurt	0.280	0.260	0.427	0.293	0.294
Licorice-yogurt	0.286	0.284	0.432	0.298	0.304
Garlic-yogurt	0.323	0.311	0.420	0.318	0.339

Percentage inhibition (%) of DPPH in yogurts during storage period (average of 3 batches)

	0	7	14	21	28
Plain-yogurt	17.95±2.16	20.10±4.22	11.93±6.33	12.88±4.33	13.42±4.00
Cinnamon-yogurt	22.65±6.23	30.29±4.38	12.13±3.09	17.92±3.93	16±1.92
Licorice-yogurt	20.99±1.04	23.86±0.68	11.11±2.59	16.52±9.42	13.14±1.53
Garlic-yogurt	10.77±1.06	16.62±3.17	13.58±7.55	10.92±3.33	3.14±1.93

### 1.5 Bacterial Growth Inhibition Assay

Disk diffusion inhibition zone value (mm) for herbal-yogurts during 14 days storage period at 4°C for 3 different strains

#### First Batch

	Days	Cinnamon-yogurt	Licorice-yogurt	Garlic-yogurt	Plain-yogurt
UM-1	0	10	11	7.1	11
	7	14.1	13	8	13
	14	12	12	10	12
UM-2	0	10	12	7.1	8
	7	13	11	7.1	10
	14	12	11	10	11
UM-3	0	10	10	12	11
	7	11	13	14	12
	14	12	14	14	13

#### Second Batch

	Days	Cinnamon-yogurt	Licorice-yogurt	Garlic-yogurt	Plain-yogurt
UM-1	0	9	11	9	10
	7	10	12	10	9
	14	9	11	11	10
UM-2	0	9	8	10	11
	7	11	9	8	12
	14	9	11	12	9
UM-3	0	11	11	10	10
	7	13	10	12	11
	14	10	10	10	12

### Third Batch

	Days	Cinnamon-yogurt	Licorice-yogurt	Garlic-yogurt	Plain-yogurt
UM-1	0	9	12	9	10
	7	11	13	9	13
	14	9	10	11	10
UM-2	0	10	10	9	9
	7	11	11	10	12
	14	13	10	9	10
UM-3	0	11	10	11	10
	7	11	13	11	10
	14	13	12	12	12

Disk diffusion inhibition zone value (mm) in herbs and herbal-yogurts during 14 days storage period for 3 different strains (average of 3 batches)

	Days	Cinnamon-yogurt	Licorice-yogurt	Garlic-yogurt	Plain-yogurt
UM-1	0	9.3±0.33	11.3±0.33	8.3±0.63	10.3±0.33
	7	11.6±1.23	12.6±0.33	9±0.57	11.6±1.33
	14	10±1.00	11±0.57	10.6±0.33	10.6±0.66
UM-2	0	9.6±0.33	10±1.15	8.6±0.85	9.3±0.88
	7	11.6±0.66	10.3±0.66	8.3±0.85	11.3±0.66
	14	11.3±1.20	10.6±0.33	10.3±0.88	10±0.57
UM-3	0	10.6±0.33	10.3±0.33	11±0.57	10.3±0.33
	7	11.6±0.66	12±1.00	12.3±0.91	11±0.57
	14	11.6±0.88	12±1.18	12±1.18	12.3±0.33

Disk diffusion inhibition zone value (mm) in herbs for 3 different strains

First Batch

Strain number	Cinnamon	Licorice	Garlic
UM-1	22	11	11
UM-2	15	11	10
UM-3	19	14	12

Second batch

Strain number	Cinnamon	Licorice	Garlic
UM-1	22	11	11
UM-2	13	11	12
UM-3	21	14	14

Third Batch

Strain number	Cinnamon	Licorice	Garlic
UM-1	22	11	10
UM-2	14	11	10
UM-3	19	14	11

Disk diffusion inhibition zone value in herbs for 3 different strains (average of 3 batches)

Strain number	Cinnamon	Licorice	Garlic
UM-1	22±0.00	11±0.00	10.6±0.33
UM-2	14±0.57	11±0.00	10.6±0.66
UM-3	19.6±0.66	14±0.00	12.3±0.88

## **APPENDIX 2: MEDIA PREPARATION AND REAGENTS**

### **MEDIA**

#### **2.1 Buffered Peptone Water**

20g of Buffered peptone water was suspended in 1L distilled water, mixed well and distributed into final containers. The mixture was then autoclaved at 121°C for 20 min. The pH of media at 25°C was  $7.2 \pm 0.2$ .

#### **2.2 M17 Agar**

The media was used to cultivate *Streptococcus thermophilus*. M17 agar (48.25g) was dissolved in 950ml distilled water by bring gently to boil. The mixture was sterilized by autoclaving at 121°C for 20 min. After cooling down to 50°C, 50ml of sterile Lactose solution was added (10% w/v) and mixed well with the M17 solution. The melted agar (20 ml) was poured carefully into disposable petri dishes and was left for 30 min to solidify. The pH of media at 25°C was  $6.9 \pm 0.2$ .

#### **Lactose Solution (10% w/v)**

Lactose (10g) was dissolved in 100ml distilled water followed by autoclaving for 20 min at 121°C. This solution was mixed thoroughly with melted M17 agar.

#### **2.3 MRS Agar**

MRS agar was used for enumeration of *Lactobacillus* ssp. MRS agar powder (62g) was mixed with 1L distilled water and was then autoclaved for 20 min at 121°C. Upon cooling to tolerable temperature (50°C) the agar was poured into the disposable petri dishes. The pH of media at 25°C was  $6.2 \pm 0.2$ .

## **2.4 Mueller Hinton (MH) Blood Agar**

This media was used to cultivate *Helicobacter pylori* using MIC method. MH agar (38g) was mixed with 950ml distilled water and the mixture was then autoclaved at 121°C for 20 min. After cooling down (45°C), 5% (w/v) of defibrinated sheep blood (>2 weeks old) was added to melted (50°C) agar; and 20ml of the mixture was transferred to 9mm disposable petri dishes. The pH of media at 25°C was  $7.3 \pm 0.1$ .

## **2.5 Brain Heart Infusion Broth (BHIB)**

This broth was used to measure the turbidity of *H. pylori* using MacFarland machine. BHIB powder (18.5g) was suspended in 500ml distilled water; mixed thoroughly and distributed to the screw capped containers. The mix sterilized by autoclaving at 121°C for 20 min. After cooling down, it was refrigerated at 4°C until required. The pH of media at 25°C was  $7.4 \pm 0.2$ .

## **REAGENTS**

### **2.6 NaOH Solution (1%)**

NaOH pellet (4g) was dissolved in 1L purified water.

### **2.7 Phenolphthalein (1%)**

Phenolphthalein (0.1g) was suspended in 100ml ethyl alcohol.

### **2.8 1, 1-diphenyl-2-picrylhydrazyl (DPPH) Stock Solution**

DPPH (0.0236g) was dissolved in 10ml ethanol 95% and mixed thoroughly. One ml of this mixture was transferred to 9ml ethanol 95% and the mixture was thoroughly mixed. Finally, 1ml from latter mixture was added to 9ml ethanol 95% and



this mixture was used as stock solution. All preparation was carried out in the absence of light, since DPPH is sensitive to light.

## **2.9 Gram-staining**

1. Fresh smear of bacteria (*Lactobacillus* spp., *S. thermophilus* or *H. pylori*) prepared on a glass slide and fixed by heat.
2. The smear was flooded by Crystal violet for one minute. Excess of dye poured off and washed gently by distilled water.
3. The smear of bacteria exposed to Iodine for one minute following by washing off the excess Iodine with distilled water.
4. The bacterial smear was then washed with 95% alcohol for 30 seconds and washed with distilled water immediately after 30 seconds to stop decolorization.
5. The smear was exposed to Safranin for 30 seconds and washed away with distilled water.
6. Finally the glass slide with bacterial smear air drained, and examine by oil under microscope.

# LIST OF PUBLICATIONS

## International Publications

S. Behrad, M.Y. Yusof, K. L. Goh, A.S. Baba. (2009). Manipulation of Probiotics Fermentation of Yogurt by *Cinnamon* and *Licorice*: Effects on Yogurt Formation and Inhibition of *Helicobacter Pylori* Growth *in vitro*. *International Journal of Medicine and Medical Sciences*. 1(3), 135-139.

## Conference Proceedings

**1. Title:** Manipulation of Probiotics Fermentation of Yogurt by *Cinnamon* and *Licorice*: Effects on Yogurt Formation and Inhibition of *Helicobacter Pylori* Growth *in vitro*.

**Authors:** S. Behrad, M.Y. Yusof, K. L. Goh, A.S. Baba.

**Date:** 25-27 December 2009

**Activity:** International conference of Biological and Medical Sciences (ICBMS) 2009

**Venue:** Thailand, Bangkok

**Role:** Oral presentation, Volume 60, Abstract pg. 1124.

**2. Title:** Manipulation of probiotic fermentation of milk by *cinnamon zeylanicum*, *Glycyrrhiza glabra* or *Allium sativum* and their effects on inhibition of *Helicobacter pylori* growth *in vitro*.

**Authors:** Sara Behrad & Baba, A. S.

**Date:** 1-3 November 2010

**Activity:** Bio-Malaysia 2010

**Venue:** Kuala Lumpur, Malaysia

**Role:** Poster presentation of research work